

Subject Index to Volume 6

Note: Abstracts from the IIIrd International Congress of Andrology can be found in the March/April 1985 Supplement.

A

- Acid hydrolases, in epididymal fluid, origin of (rat), 243
- Acrosome reaction, gossypol effect (guinea pig), 45
- Age/aging
 - testicular LH receptors and (rat), 61
 - testicular size and, 144
- Alcoholism, testicular size and, 144
- AMSA, spermatogenesis and (mouse), 225
- Androgen(s)
 - bromocriptine effects, 10, 77
 - in hypophysectomized rat, gonadotropin supplementation and, 353
 - intra-testicular, bromocriptine and (rat), 77
 - whole cell and nuclear uptake in skin fibroblasts from infertile males, 365
- Androgen-binding protein
 - complementary DNA clones encoding for (rat), 392
 - in hyperprolactinemia (rat), 179
 - secretion, tolnidamine and (rat), 171
- Androgen receptors
 - abnormalities, in skin fibroblasts from infertile males, 365
 - in prostate lobes of intact and testosterone-treated Noble rat, 279
- Antifertility agents, LHD-X inhibition by gossypol optical isomers (rat), 344
- Antigenicity, epididymal fluid (animals), 359
- Azido photoaffinity analysis, cAMP-dependent protein kinase regulatory subunits in sea urchin and rat spermatozoa, 251

B

- Blood stagnation in testicular microvasculature
 - short-term torsion of spermatic cord and, 291
 - varicocele and, 117
- Bovine cervical mucus penetration tests, in infertility evaluation, 162
- Bromocriptine
 - for hyperprolactinemia in dialysis patient, 113
 - induced hypoprolactinemia, gonadal effects, 10
 - in rat, 77

C

- L-carnitine absorption, in proximal region of epididymis (rat), 300
- Castration, and prostaglandin dehydrogenase activity in rat and rabbit reproductive tissues, 97
- Cell culture
 - ciliated and nonciliated cells from rat efferent ducts, 271
 - Sertoli cells, polyamine release from (rat), 348
 - skin fibroblasts, whole cell and nuclear androgen uptake in infertile males, 365
- Chemotherapy, AMSA-induced oligo- or azoospermia, 225
- Chorionic gonadotropin, human (hCG)
 - prepubertal testicular response to, 102
 - spermatogenesis and, in gonadotropin suppression, 137
- CoASH ligase, in spermatozoa, 265
- Cortisol, serum levels, seasonal and mating effects (male pygmy goat), 89
- Cryopreservation, spermatozoa, hyaluronidase and, 152

- Cryptorchidism, seminiferous tubule degeneration in, 1
- Cytoplasmic droplet, gossypol effect (guinea pig), 45

D

- 5 α -Dihydrotestosterone, in prostate lobes of intact and testosterone-treated Noble rat, 279
- DNA
 - complementary clones encoding for androgen-binding protein (rat), 392
 - flow cytometric analysis of seminiferous epithelial cycle in vitro (rat), 325

E

- Efferent duct, culture of ciliated and nonciliated cells (rat), 271
- Endocytosis
 - in Leydig cells, 213
 - receptor-mediated, of α_2 -macroglobulin, in proximal caput epididymis (rat), 190
- Epididymal fluid
 - antigenicity (animals), 359
 - a mucus (rat), 315
 - origin of acid hydrolases in (rat), 243
- Epididymis
 - acid glycoprotein, immunization against, fertility and (rat), 246
 - androgen levels, in gonadotropin-supplemented hypophysectomized rat, 353
 - L-carnitine absorption (rat), 300
 - cellular retinol-binding and retinoic acid-binding proteins in (rat), 197
 - lectin binding pattern in (bull), 230
 - luminal fluid polypeptides (rat), 20
 - prostaglandin dehydrogenase activity, castration and (animals), 97
 - receptor-mediated endocytosis of α_2 -macroglobulin in vivo (rat), 190
- Estrogen, testosterone regulation by (rams), 306

F

- Fertility
 - following immunization against acidic epididymal glycoprotein (rat), 246
 - in utero exposure to marijuana and (rat), 386
- Fibroblasts, from infertile males, whole cell and nuclear androgen uptake, 365
- Flow cytometry, DNA, in vitro seminiferous epithelial cycle (rat), 325
- Fructose, seminal, bilateral congenital absence of vas deferens and, 15

G

- Glycoproteins
 - acidic, epididymal, immunization against, fertility and (rat), 246
 - in testis and epididymis (bull), 230
- Golgi apparatus, in endocytic activity of Leydig cells, 213
- Gonadotropins
 - estrogen regulation of (rams), 306

- serum levels, seasonal and mating effects and (male pygmy goat), 89
 supplementation, and androgen levels in hypophysectomized rats, 353
 suppression, hCG-stimulated spermatogenesis and, 137
 tolnidamine effect (rat), 171
- Gossypol
 in vivo effect on epididymal spermatozoa (guinea pig), 45
 (+) and (-) optical isomers, inhibition of LDH-X (rat), 344
- Gossypol acetic acid, 74, 135

H

- Hemodialysis, long-term, hyperprolactinemia and, 113
- Histidyl-proline diketopiperazine, in vitro production by human semen, 379
- Hyaluronidase, in human sperm, 152
- Hyperprolactinemia
 in dialysis patient, bromocriptine for, 113
 testicular structure and function and (rat), 179
- Hypophysectomy, gonadotropin supplementation, androgen levels and (rat), 353
- Hypoprolactinemia, bromocriptine-induced, testicular steroidogenesis and, 10
 in rat, 77

I

- Immobilin, 315
- Impotence, in hemodialysis patient, hyperprolactinemia and, bromocriptine for, 113
- Indazole carboxylic acid derivative, and testicular androgen-binding protein (rat), 171
- Infertility
 congenital absence of vasa deferentia and, 15
 evaluation, bovine cervical mucus penetration test and zona-free hamster egg sperm penetration assay, 162
 skin fibroblast whole cell and nuclear androgen uptake in, 365
 white blood cells in semen and, in vitro studies, 127
- Illness, testicular size and, 144

L

- LDH-X, inhibition of, gossypol optical isomers (rat), 344
- Lectins, testicular and epididymal binding patterns (bull), 230
- Leydig cells
 endocytosis in, 213
 in hyperprolactinemia (rat), 179
 precursors, steroidogenesis in, 102
- LHRH agonist
 in biodegradable microcapsules, suppression of plasma LH levels and (rat), 83
 reproductive parameters and, dose-response studies (dogs), 53
- Luteinizing hormone (LH)
 plasma levels, suppression after single injection of LHRH agonist in biodegradable microcapsules, 83
 serum levels, hyperprolactinemia and (rat), 179
 testicular receptors, aging and (rat), 61
- Lysosomes, in endocytic activity of Leydig cells, 213

M

- α_2 -Macroglobulin, receptor-mediated endocytosis, in proximal caput epididymis (rat), 190
- Malnutrition, testicular size and, 144
- Marihuana, in utero exposure to, fertility and ventral prostate morphology and, 386

- Microcapsules, biodegradable, for LHRH agonist administration, 83
- Mucus, epididymal fluid as (rat), 315

N

- Nafarelin acetate, reproduction parameters and (dogs), 53

O

- Organ culture: seminiferous tubule segments
 DNA flow cytometric analysis of epithelial cycle (rat), 325
 morphologic and immunolocalization analysis of differentiation of seminiferous tubular segments from defined epithelial cycle stages (rat), 334

P

- Palmitic acid activation, by spermatozoa, 265
- Palmitoyl CoA, sperm ligase activity and, 265
- Polyacrylamide gel electrophoresis, two-dimensional, luminal fluid polypeptides of testis and epididymis (rat), 20
- Polyamines, differential release from cultured Sertoli cells (rat), 348
- Polypeptides, luminal fluid of epididymis and testis (rat), 20
- Progesterone, serum levels, age and (rat), 61
- Prolactin, serum levels, seasonal and mating effects (male pygmy goat), 89
- Prostaglandin dehydrogenase activity, in reproductive tissues, castration and (animals), 97
- Prostate gland, ventral, in utero exposure to marihuana and (rat), 386
- Prostate lobes, in intact and testosterone-treated Noble rats, androgen receptor levels and androgen contents, 279
- Protein kinase, cAMP-dependent regulatory subunits, in sea urchin and rat spermatozoa, 251
- Proteins, epididymal fluid, antigenicity (animals), 359
- Putrescine, in cultured Sertoli cells (rat), 348
- Pyospermia, infertility and, in vitro studies, 127
- Pz-peptidases, in human semen, 372

R

- Δ^{13} -Reductase activity, reproductive tissues, castration and (animals), 97
- Retinoic acid-binding protein, cellular, in testis and epididymis (rat), 197
- Retinol-binding protein, cellular, in testis and epididymis (rat), 197

S

- Semen
 in vitro production of TRH-like peptides and histidyl-proline diketopiperazine, 379
 Pz-peptidases A and B in, 372
 volume, bilateral congenital absence of vas and, 15
- Seminal plasma, Pz-peptidases A and B in, 372
- Seminal vesicles, prostaglandin dehydrogenase activity, castration and (animals), 97
- Seminiferous tubule
 degeneration, in cryptorchid testis, 1
 in vitro differentiation of epithelial cycle
 DNÁ flow cytometric analysis of defined stages of (rat), 325
 morphologic and immunolocalization analysis (rat), 334
- Sertoli cells
 cultured, polyamine release from (rat), 348
 in hyperprolactinemia (rat), 179
 tolnidamine effect (rat), 171

Spermatic cord, torsion, unilateral, stagnation of blood in microvessels of contralateral testis, 291

Spermatogenesis

AMSA effects on (mouse), 225

DNA flow cytometric analysis of seminiferous epithelial cycle *in vitro* (rat), 325

hCG stimulation of, in gonadotropin suppression, 137

morphologic and immunolocalization analysis of *in vitro* differentiation of seminiferous tubular segments from defined stages of epithelial cycle (rat), 334

nafarelin acetate and (dogs), 53

Spermatozoa

cAMP-dependent protein kinase regulatory subunits in (sea urchin, rat), 251

capacitation, gossypol and (guinea pig), 45

fatty acid:CoA ligase in, 265

fertilizing capacity

immunization against acidic epididymal glycoprotein and (rat), 246

seminal white blood cells and, 127

hyaluronidase, 152

maturation, gossypol and (guinea pig), 45

motility

epididymal absorption of L-carnitine and, 300

gossypol effect (guinea pig), 45

immunization against acidic epididymal glycoprotein and (rat), 246

patterns, quantitative classification (mouse), 35

Pz-peptidases A and B in, 372

swimming patterns, quantitative classification (mouse), 35

Spermidine, in cultured Sertoli cells (rat), 348

Spermine, in cultured Sertoli cells (rat), 348

Steroidogenesis, testicular

bromocriptine-induced hypoprolactinemia and, 10, 77

in infantile testes and Leydig cell precursors, 102

T

Tamoxifen, testosterone regulation and (rams), 306

Testis

androgen levels, in gonadotropin-supplemented hypophysectomized rat, 353

cellular retinol-binding and retinoic acid-binding proteins in (rat), 197

cryptorchid, seminiferous tubule degeneration, 1 function

hyperprolactinemia and (rat), 179

tolnidamine and (rat), 171

lectin binding patterns in (bull), 230

morphology, hyperprolactinemia and (rat), 179

infantile human, steroidogenesis in, 102

LH receptors, aging and (rat), 61

luminal fluid polypeptides (rat), 20

microvasculature, stagnation of blood in

short-term torsion of spermatic cord and, 291

varicocele and, 117

prostaglandin dehydrogenase activity (animals), 97

size, aging, malnutrition and illness and, 144

steroidogenesis, bromocriptine-induced hypoprolactinemia and, 10

in rat, 77

torsion, effect on contralateral testis (rat), 65

tumors, testicular LH receptors in (rat), 61

Testosterone

estrogen regulation of (rams), 306

in hyperprolactinemia (rat), 179

in utero exposure to marijuana and (rat), 386

plasma levels, long-term dialysis and, bromocriptine treatment, 113

in prostate lobes of intact and testosterone-treated Noble rats, 279

serum levels

age and (rats), 61

seasonal and mating effects (male pygmy goat), 89

testicular, early secretion, 102

tolnidamine effects (rat), 171

Δ^9 -Tetrahydrocannabinol, in utero exposure, fertility and ventral prostate morphology (rat), 386

Thyrotropin-releasing hormone, homologous peptide, *in vitro* production by human semen, 379

Tolnidamine, testicular androgen-binding protein and (rat), 171

Torsion

spermatic cord, stagnation of blood in testicular microvasculature and, 291

testicular, effect on contralateral testis (rat), 65

V

Varicocele, and blood stagnation in testicular microvasculature, 117

Vas deferens, bilateral congenital absence, 15

Videomicrography, sperm motility patterns (mouse), 35

W

White blood cells, in semen, infertility and, *in vitro* studies, 127

WHO reference material, gossypol acetic acid, 74, 135

Z

Zona-free hamster egg penetration test

in infertility evaluation, 162

pyospermia and, 127

Author Index to Volume 6

A

Ahluwalia, B. S., Rajguru, S. U., Nolan, G. H.: The effect of Δ^9 -tetrahydrocannabinol *in utero* exposure on rat offspring fertility and ventral prostate gland morphology, 386

Amador, A., Steger, R. W., Bartke, A., Johns, A., Siler-Khodr, T. M., Parker, C. R., Jr., Shepherd, A. M.: Testicu-

lar LH receptors during aging in Fisher 344 rats, 61

Amat, P., Paniagua, R., Montero, J.: Seminiferous tubule degeneration in human cryptorchid testes, 1

Ansell, I. D.: *see* Jequier, A. M.

Asch, R. H., Rojas, F. J., Bartke, A., Schally, A. V., Tice, T. R., Klemcke, H. G., Siler-Khodr, T. M., Bray, R.

E., Hogan, M. P.: Prolonged suppression of plasma LH levels in male rats after a single injection of an LH-RH agonist in poly(DL-lactide-Coglycolide) microcapsules, 83

Arya, M., Vanha-Pertulla, T.: Lectin-binding pattern of bull testis and epididymis, 230

Atherton, R. W.: *see* Khatoon, S.

B

- Bardin, C.W.: *see* Spitz, I. M.
 Bartke, A.: *see* Amador, A.; *also see* Asch, R. H.
 Bedford, J. M.: *see* Esponda, P.
 Bergada, C.: *see* Chemes, H. E.
 Bertini, F.: *see* Mayorga, L. S.
 Bray, R. E.: *see* Asch, R. H.
 Bremner, W. J.: *see* Matsumoto, A. M.
 Briones, W. V.: *see* Vickery, B. H.
 Bullimore, N. J.: *see* Jequier, A. M.
 Byers, S. W., Musto, N. A., Dym, M.:
 Culture of ciliated and nonciliated cells from rat ductuli efferentes, 271;
also see Djakiew, D.

C

- Calandra, R. S.: *see* Suescun, M. O.
 Cameron, D. F.: *see* Katovich, M. J.
 Chakraborty, J., Hikim, A. P. S., Jhunjhunwala, J. S.: Stagnation of blood in the microcirculatory vessels in the testes of men with varicocele, 117
 Chakraborty, J., Hikim, A. P. S., Jhunjhunwala, J. S.: Stagnation of blood in the microvasculature of the affected and contralateral testes of men with short-term torsion of the spermatic cord, 291
 Chemes, H. E., Gottlieb, S. E., Pasqualini, T., Domenichini, E., Rivarola, M. A., Bergada, C.: Response to acute hCG stimulation and steroidogenic potential of Leydig cell fibroblastic precursors in humans, 102;
also see Suescun, M. O.
 Chiauzzi, V. A.: *see* Suescun, M. O.
 Chytil, F.: *see* Porter, S. B.
 Clark, R. V.: *see* Eil, C.
 Clermont, Y.: *see* Hermo, L.
 Cone, R. A.: *see* Usselman, M. C.
 Courrot, M.: *see* Fournier-Delpech, S.

D

- da Cunha, M. F., Meistrich, M. L., Finch-Neimeyer, M. V.: Effects of AMSA, an antineoplastic agent, on spermatogenesis in the mouse, 225
 Damassa, D.: *see* Ho, S-M.
 Djakiew, D., Byers, S. W., Lewis, D. M., Dym, M.: Receptor-mediated endocytosis of alpha₂-macroglobulin by principal cells in the proximal caput epididymidis *in vivo*, 190
 Djukanovic, L.: *see* Vircburger, M. I.
 Domenichini, E.: *see* Chemes, H. E.
 Dubois, M. P.: *see* Fournier-Delpech, S.
 Dym, M.: *see* Byers, S. W.; *also see* Djakiew, D.

E

- Eerola, E.: *see* Toppari, J.
 Eil, C., Gamblin, G. T., Hodge, J. W., Clark, R. V., Sherins, R. J.: Whole cell and nuclear androgen uptake in skin fibroblasts from infertile men, 365

- Ellis, L. C.: *see* Nemetallah, B. R.
 Esponda, P., Bedford, J. M.: Epididymal fluid macromolecules do not act as auto- or allo-antigens, 359
 Ewing, L. L.: *see* Turner, T. T.

F

- Falvo, R. E.: *see* Vickery, B. H.
 Fariss, B. L.: *see* Jones, R. E.
 Finch-Neimeyer, M. V.: *see* da Cunha, M. F.
 Fong, H. H. S.: *see* Kim, I. C.
 Fournier-Delpech, S., Courrot, M., Dubois, M. P.: Decreased fertility and motility of spermatozoa from rats immunized with a prealbumin epididymal-specific glycoprotein, 246
 French, F. S.: *see* Joseph, D. R.
 Friedman, S.: *see* Pekary, A. E.
 Friend, D. S.: *see* Shi, Q-X.

G

- Gamblin, G. T.: *see* Eil, C.
 Garner, D. L.: *see* Lessley, B. A.
 Gonzalez, S. T.: *see* Suescun, M. O.
 Gottlieb, S. E.: *see* Chemes, H. E.
 Gunsalus, G. L.: *see* Katovich, M. J.; *also see* Spitz, I. M.

H

- Hale, R. W.: *see* Maruyama, D. K., Jr.; *also see* Takemoto, F. S.
 Haley, B. E.: *see* Khatoon, S.
 Hall, S. H.: *see* Joseph, D. R.
 Handelsman, D. J., Staraj, S.: Testicular size: The effects of aging, malnutrition, and illness, 144
 Hermo, L., Clermont, Y., Lalli, M.: Intracellular pathways of endocytosed tracers in Leydig cells of the rat, 213
 Hernandez, H.: *see* Hinton, B. T.
 Hershman, J. M.: *see* Pekary, A. E.
 Hikim, A. P. S.: *see* Chakraborty, J.
 Hinton, B. T., Hernandez, H.: Selective luminal absorption of L-carnitine from the proximal regions of the rat epididymis: Possible relationships to development of sperm motility, 300;
also see Olson, G. E.
 Hodge, J. W.: *see* Eil, C.
 Hogan, M. P.: *see* Asch, R. H.
 Ho, S-M., Damassa, D., Kwan, P. W. L., Seto, H. S. K., Leav, I.: Androgen receptor levels and androgen contents in the prostate lobes of intact and testosterone-treated Noble rats, 279
 Howards, S. S.: *see* Turner, T. T.
 Howland, B. E., Sanford, L. M., Palmer, W. M.: Changes in serum levels of LH, FSH, prolactin, testosterone, and cortisol associated with season and mating in male pygmy goats, 89

J

- Jequier, A. M., Ansell, I. D., Bullimore, N. J.: Congenital absence of the vasa deferentia presenting with infertility, 15
 Jeyendran, R. S.: *see* Joyce, C.
 Jhunjhunwala, J. S.: *see* Chakraborty, J.
 Johns, A.: *see* Amador, A.
 Jones, C. E.: *see* Turner, T. T.
 Jones, R. E., Plymate, S. R., Fariss, B. L.: Activation of palmitic acid by human spermatozoa, 265
 Joseph, D. R., Hall, S. H., French, F. S.: Rapid communication: Identification of complementary DNA clones that encode rat androgen binding protein, 392
 Joyce, C., Jeyendran, R. S., Zaneveld, L. J. D.: Release, extraction, and stability of hyaluronidase associated with human spermatozoa: Comparisons with the rabbit, 152

K

- Katovich, M. J., Cameron, D. F., Murray, F. T., Gunsalus, G. L.: Alterations of testicular function induced by hyperprolactinemia in the rat, 179
 Khatoon, S., Haley, B. E., Atherton, R. W.: A comparative analysis of cAMP-dependent protein kinase regulatory subunits in sea urchin and rat spermatozoa, 251
 Kim, I. C., Waller, D. P., Fong, H. H. S.: Inhibition of LDH-X by gossypol optical isomers, 344
 Klemcke, H. G.: *see* Asch, R. H.
 Knezevic, J.: *see* Vircburger, M. I.
 Kwan, P. W. L.: *see* Ho, S-M.

L

- Lalli, M.: *see* Hermo, L.
 Leav, I.: *see* Ho, S-M.
 Lessley, B. A., Garner, D. L.: Identification and distribution of Pz-peptidases A and B in human semen, 372
 Lewis, D. M.: *see* Djakiew, D.
 Lin, S-N.: *see* Tsai, Y-H.

M

- Maruyama, D. K., Jr., Hale, R. W., Rogers, B. J.: Effects of white blood cells on the *in vitro* penetration of zona-free hamster eggs by human spermatozoa, 127
 Mather, J. P.: *see* Spitz, I. M.
 Matsumoto, A. M., Bremner, W. J.: Stimulation of sperm production by human chorionic gonadotropin after prolonged gonadotropin suppression in normal men, 137
 Mayorga, L. S., Bertini, F.: The origin of some acid hydrolases of the fluid of the rat cauda epididymidis, 243

- McRae, G. I.: *see* Vickery, B. H.
 Meistrich, M. L.: *see* da Cunha, M. F.
 Montero, J.: *see* Amat, P.
 Murray, F. T.: *see* Katovich, M. J.
 Musto, N. A.: *see* Byers, S. W.

N

- Nemetallah, B. R., Ellis, L. C.: Prostaglandin dehydrogenase activity of rat and rabbit testicular tissues and accessory glands before and after castration, 97
 Nolan, G. H.: *see* Ahluwalia, B. S.

O

- Olds-Clarke, P.: *see* Tessler, S.
 Olson, G. E., Hinton, B. T.: Regional differences in luminal fluid polypeptides of the rat testis and epididymis revealed by two-dimensional gel electrophoresis, 20
 Ong, D. E.: *see* Porter, S. B.
 Orgebin-Crist, M.-C.: *see* Porter, S. B.

P

- Palmer, W. M.: *see* Howland, B. E.
 Paniagua, R.: *see* Amat, P.
 Parker, C. R., Jr.: *see* Amador, A.
 Parvinen, M.: *see* Toppari, J.
 Pasqualini, T.: *see* Chemes, H. E.
 Pekary, A. E., Reeve, J. R., Smith, V. P., Friedman, S., Hershman, J. M.: *In vitro* production of a TRH-homologous peptide and HIS-pro diketopiperazine by human semen, 379
 Peric, L. A.: *see* Vircburger, M. I.
 Plymate, S. R.: *see* Jones, R. E.
 Porter, S. B., Ong, D. E., Chytil, F., Orgebin-Crist, M.-C.: Localization of cellular retinol-binding protein and cellular retinoic acid-binding protein in the rat testis and epididymis, 197
 Prelévic, G. M.: *see* Vircburger, M. I.

R

- Rajguru, S. U.: *see* Ahluwalia, B. S.
 Reeve, J. R.: *see* Pekary, A. E.
 Rivarola, M. A.: *see* Suescun, M. O.; *also see* Chemes, H. E.
 Roberts, B. B.: *see* Vickery, B. H.
 Rogers, B. J.: *see* Maruyama, D. K., Jr.; *also see* Takemoto, F. S.
 Rojas, F. J.: *see* Asch, R. H.
 Rossignol, D. P.: *see* Usselman, M. C.

S

- Sanford, L. M.: Evidence that estrogen regulation of testosterone secretion in adult rams is mediated by both indirect (gonadotropin dependent) and direct (gonadotropin independent) means, 306; *also see* Howland, B. E.
 Schally, A. V.: *see* Asch, R. H.
 Schanbacher, B. D.: *see* Vickery, B. H.
 Scorticati, C.: *see* Suescun, M. O.
 Seto, H. S. K.: *see* Ho, S.-M.
 Shepherd, A. M.: *see* Amador, A.
 Sherins, R. J.: *see* Eil, C.
 Shi, Q.-X., Friend, D. S.: Effect of gossypol acetate on guinea pig epididymal spermatozoa *in vivo* and their susceptibility to capacitation *in vitro*, 45
 Siler-Khodr, T. M.: *see* Amador, A.; *also see* Asch, R. H.
 Smith, V. P.: *see* Pekary, A. E.
 Soderdahl, D. W.: *see* Takemoto, F. S.
 Spitz, I. M., Gunsalus, G. L., Mather, J. P., Thau, R., Bardin, C. W.: The effects of the indazole carboxylic acid derivative, tolnidamine, on testicular function: I. Early changes in androgen binding protein secretion in the rat, 171
 Staraj, S.: *see* Handelsman, D. J.
 Steger, R. W.: *see* Amador, A.
 Suescun, M. O., Scorticati, C., Chiauzzi, V. A., Chemes, H. E., Rivarola, M. A., Calandra, R. S.: Induced hypoprolactinemia and testicular steroidogenesis in man, 10
 Suescun, M. O., Gonzalez, S. I., Chiauzzi, V. A., Calandra, R. S.: Effects of induced hypoprolactinemia on testicular function during gonadal maturation in the rat, 77

T

- Takemoto, F. S., Rogers, B. J., Wiltbank, M. C., Soderdahl, D. W., Vaughn, W. K., Hale, R. W.: Comparison of the penetration ability of human spermatozoa into bovine cervical mucus and zona-free hamster eggs, 162
 Tessler, S., Olds-Clarke, P.: Linear and nonlinear mouse sperm motility patterns: A quantitative classification, 35

- Thau, R.: *see* Spitz, I. M.
 Tice, T. R.: *see* Asch, R. H.
 Toppari, J., Eerola, E., Parvinen, M.: Flow cytometric DNA analysis of defined stages of rat seminiferous epithelial cycle during *in vitro* differentiation, 325
 Toppari, J., Parvinen, M.: *In vitro* differentiation of rat seminiferous tubular segments from defined stages of the epithelial cycle: Morphologic and immunolocalization analysis, 334
 Tsai, Y.-H., Lin, S.-N.: Differential release of polyamines by cultured rat Sertoli cells, 348
 Turner, T. T.: Acute experimental testicular torsion: No effect on the contralateral testis, 65
 Turner, T. T., Ewing, L. L., Jones, C. E., Howards, S. S., Zeyge, B.: Androgens in various fluid compartments of the rat testis and epididymis after hypophysectomy and gonadotropin supplementation, 353

U

- Usselman, M. C., Cone, R. A., Rossignol, D. P.: Rat cauda epididymal fluid is a mucus, 315

V

- Vanha-Pertulla, T.: *see* Arya, M.
 Vaughn, W. K.: *see* Takemoto, F. S.
 Vickery, B. H., McRae, G. I., Briones, W. V., Roberts, B. B., Worden, A. C., Schanbacher, B. D., Falvo, R. E.: Dose-response studies on male reproductive parameters in dogs with nafarelin acetate, a potent LHRH agonist, 53
 Vircburger, M. I., Prelevic, G. M., Peric, L. A., Knezevic, J., Djukanovic, L.: Testosterone levels after bromocriptine treatment in patients undergoing long-term hemodialysis, 113

W

- Waller, D. P.: *see* Kim, I. C.
 Wiltbank, M. C.: *see* Takemoto, F. S.
 Worden, A. C.: *see* Vickery, B. H.

Z

- Zaneveld, L. J. D.: *see* Joyce, C.
 Zeyge, B.: *see* Turner, T. T.